("\$,781,074") or ("\$,528,756") or ("\$,966,684") or ("\$,966,684") or ("\$,969,390") or ("\$,969,390") or ("\$,969,390") or ("\$,6185,460") or ("\$,6185,460") or ("\$,6185,460") or ("\$,6185,460") or ("\$,538,902") or ("\$,539,550") or ("\$,525,578") or ("\$,525,578") or ("\$,525,578") or ("\$,525,578") or ("\$,529,455") or ("\$,539,263") or ("\$,106,567") or ("\$,279,629").PN. 2 4 324/765,168.1,750-769.cols. and (analyz\$4 near5 ((electromagnetic adj interference) or EMI!)	L Number	Hits	Search Text	DB	Time stamp
("5,666,684") or ("5,969,390") or ("6,044,294") or ("6,185,454") or ("6,185,460") or ("6,201,403") or ("5,553,450") or ("5,559,560") or ("5,559,5750") or ("5,559,5750") or ("5,559,5750") or ("6,219,559") FN. 2		34		USPAT;	2004/04/15 18:45
("6,044,294") or ("6,185,454") or ("5,185,460") or ("5,185,460") or ("6,185,460") or ("5,185,450") or ("5,525,578") or ("5,106,550") or ("5,106,550") or ("6,106,550") or ("6,10				•	
("6,185,460") or ("6,201,403") or ("5,389,902") or ("5,389,50,750.") or ("5,389,902") or ("5,505,935.") or ("6,219,529").EN (
("5,389,902") or ("5,550,750.") or ("5,625,578) or ("5,625,578) or ("5,625,578) or ("5,625,578) or ("5,625,578) or ("5,625,578) or ("6,106,567") or ("6,279,629").PN. 2 4 324765,1581,1750-769.ccls. and (analyz\$4 near5 ((electromagnetic adj interference) or EMI!) 90 analyz\$4 near5 ((electromagnetic adj USPAT; IBM TOB USPAT; ISM TOB U					
("5,625,578") or ("5,659,9263") or ("6,106,56") or ("6,296,29263") or ("6,219,629").PN. 24 ("6,219,629").PN. 22 4 324/765,158.1,750-769.cols. and (analyz\$4 near5 (electromagnetic adj interference) or EMI!) - 90 analyz\$4 near5 ((electromagnetic adj USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; I				IBM_TDB	
("5,699,455") or ("6,297,128") or ("6,106,56") or ("6,106,56") or ("6,219,629").PN. ("6,106,56") or ("6,219,629").PN. ("6,219,629").PN. (24/765,158.1,750-769.ccls. and (analyz\$4 near5 ((electromagnetic adj interference) or EMI!)					
("6,106,567") or ("6,237,126") or ("6,					
2					
2			("6,106,367") OF (6,237,126) OF		
near5 ((electromagnetic adj interference) US-PGPUB; EPO; JPO; DERMENT; IBM TDB USPAT; US	2	4		HSPAT:	2004/04/15 19:10
or EMI!)) analyz\$4 near5 ((electromagnetic adj USPAT; IBM TDB US	2	3			2001,01,10 13.10
- 90 analyz\$4 near5 ((electromagnetic adj USPĀT; IBM TDB USPĀT; US-CPCUB; EFO; JPO; DERWENT; IBM TDB USPĀT; US-CPCUB; EFO; JPO; DERWENT					
Section Sect					
30 analyz\$4 near5 ((electromagnetic adj interference) or EMI!) SPAT; SPEQUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM TDB USPAT; USPAT					
EPO; JFO; DENREMT; IBM TDB USPAT; US-PGPUB; EPO; JFO; DENREMENT; IBM TDB US-PGPUB; EPO; JFO; JFO; DENREMENT; IBM TDB US-PGPUB; EPO; JFO; DENREMENT; IBM TDB US-PGPUB; E	_	90	analyz\$4 near5 ((electromagnetic adj	USPAT;	2003/11/25 10:49
- 326 calculat\$4 near5 current near6 (chip or IC!) - 6885 analyz\$4 near5 current - 6885 analyz\$4 near5 ([electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IC!)) - 2 (analyz\$4 near5 ([electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IC!)) - 2 ((analyz\$4 near5 ([electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IC!)) - 3 (calculat\$4 near5 ([electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IC!)) - 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) - 5 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) - 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 ((calculat\$4 near10 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (calculat\$4 near10 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference - 5 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic and interference and electromagneti			interference) or EMI!)	US-PGPUB;	
Sac Calculat\$4 near5 current near6 (chip or IC!) IEM TDB USPĀT; USPĢUB; EPO; JPO; DERWENT; IEM TDB USPĀT; IEM TDB EPO; JPO; DERWENT; IEM TDB EPO; J				EPO; JPO;	
- 326 calculat\$4 near5 current near6 (chip or IC!) - 6885 analyz\$4 near5 current - 6885 analyz\$4 near5 ((electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IEM_TDB USPAT; lBM_TDB USPAT; lbm_T					
IC! US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; Peo; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO	-	326	•		2003/11/19 18:19
DERWENT; IBM_TDB USPAT; US-PGPUB; Epo; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Ep			IC!)	-	
- 6885 analyz\$4 near5 current					
- 6885 analyz\$4 near5 current					
US-PGPUB; EPC; JPO; DERMENT; IBM TDB USPAT; US-PGPUB; EPC; JPO;			2 04		2002/11/10 10 22
Po; JPO; DERWENT; IBM TDB USPAT; Us-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Us-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Us-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Us-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	-	6885	analyz\$4 nearb current		2003/11/19 18:38
Calculat\$4 near5 current near6 (chip or IC!) and (analyz\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) Sep (calculat\$4 near5 current near6 (chip or IC!)) Sep (calculat\$4 near5 current near6 (chip or IC!)) Sep (calculat\$4 near5 current) Sep (calculat\$4 near5 current)					
Calculat\$4 near5 ((electromagnetic adj interference) or EMI!)) and (calculat\$4 near5 (chip or IC!)) DERWENT; IBM TDB USPAT; USPGPUB; near5 current near6 (chip or IC!)) DERWENT; IBM TDB USPAT; USPGPUB; near5 current near6 (chip or IC!)) DERWENT; IBM TDB USPAT; USPGPUB; near5 current near6 (chip or IC!)) DERWENT; IBM TDB USPAT; USPGPUB; near5 current) DERWENT; IBM TDB USPAT; USPGPUB; near5 current) USPAT; U					
2					
interference) or EMI!)) and (calculat\$4	_	2	(analyz\$4 near5 ((electromagnetic adi		2003/11/19 18:13
near5 current near6 (chip or IC!)		2			
DERWENT; IBM_TDB USPAT; 2003/11/19 1:					
- 2 ((analyz\$4 near5 ((electromagnetic adj interference) or EMI!)) and (calculat\$4					
- 2 (((analyz\$4 near5 ((electromagnetic adj interference) or EMI!)) and (calculat\$4 us-PGPUB; ePO; JPO; DERWENT; IBM_TDB uspAT; ((calculat\$4 near5 current near6 (chip or UspAT; Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspAT; UspAT					
interference) or EMI!)) and (calculat\$4 near5 current near6 (chip or IC!))) and EPG, JPC; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; IBM TDB USPĀT IBM TDB USP	-	2	((analyz\$4 near5 ((electromagnetic adj		2003/11/19 18:13
near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)	1		interference) or EMI!)) and (calculat\$4	US-PGPUB;	1
- 8 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) - 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 507 calculat\$4 near10 current near6 (chip or IC!) - 508 calculat\$4 near10 current near10 (chip or IC!)			near5 current near6 (chip or IC!))) and	EPO; JPO;	
- 8 (calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current) - 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 507 calculat\$4 near10 current near6 (chip or IC!) - 508 calculat\$4 near10 current near10 (chip or IC!) - 509 calculat\$4 near10 current near10 (chip or IC!)			(analyz\$4 near5 current)		
IC!-)- and (analyz\$4 near5 current) 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic 4 ((calculat\$4 near5 current)) and electromagnetic 5 (((calculat\$4 near5 current)) and electromagnetic) and interference 6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference 7 (calculat\$4 near10 current near6 (chip or IC!) 8 (calculat\$4 near10 current near6 (chip or IC!) 9 (calculat\$4 near10 current near6 (chip or IC!) 1 (calculat\$4 near5 current) 1 (chip or IC!) 1 (calculat\$4 near5 current) 2 (calculat\$4 near5 current) 2 (calculat\$4 near5 current) 2 (calculat\$4 near5 current) 3 (calculat\$4 near5 current) 4 (calculat\$4 near5 current) 5 (calculat\$4 near5 current) 6 (calculat\$4 near5 current) 6 (calculat\$4 near5 current)		1			
- 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic	-	8		· ·	2003/11/19 18:18
- 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 589 calculat\$4 near10 current near10 (chip or USPAT; IBM_TDB	-		LIC!-)-)-and_(analyz\$4_near5_current)		
- 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near10 (chip or IC!) - 505 calculat\$4 near10 current near10 (chip or IC!) - 505 calculat\$4 near10 current near10 (chip or IC!)					
- 4 ((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic - 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near6 (chip or IC!) - 505 calculat\$4 near10 current near10 (chip or USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; IBM_					
IC!) and (analyz\$4 near5 current) and electromagnetic US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; electromagnetic) and interference POS Calculat\$4 near5 current near6 (chip or IC!) and interference Calculat\$4 near10 current near6 (chip or IC!) Calculat\$4 near10 current near6 (chip or IC!) Calculat\$4 near10 current near6 (chip or IC!) Calculat\$4 near10 current near10 (chip or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT;	_		((calculat\$4 near5 current near6 (chin or		2003/11/19 18:18
electromagnetic electromagnetic (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference 505 calculat\$4 near10 current near6 (chip or IC!)	-	4			2555,11,15 15.16
- 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference				ì	
- 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 589 calculat\$4 near10 current near10 (chip or USPAT; - 589 calculat\$4 near10 current near10 (chip or USPAT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB IBM TDB USPAT; IB			- CICCIIOMAGNICCIO		
- 2 (((calculat\$4 near5 current near6 (chip or IC!)) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 589 calculat\$4 near10 current near10 (chip or Sequent; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; DERWENT; IBM_TDB USPAT; USPAT					
IC!) and (analyz\$4 near5 current)) and electromagnetic) and interference - 505 calculat\$4 near10 current near6 (chip or IC!) - 589 calculat\$4 near10 current near10 (chip or USPAT; IBM TDB EPO; JPO; DERWENT; IBM TDB USPAT; IBM TDB USP	-	2	(((calculat\$4 near5 current near6 (chip or		2003/11/19 18:18
electromagnetic) and interference EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;					
- 505 calculat\$4 near10 current near6 (chip or ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; ISM_TDB USPAT; ISM_T					
- 505 calculat\$4 near10 current near6 (chip or ISPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀT; 2003/11/19 1				DERWENT;	
IC!) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; USPAT; USPAT; USPAT; USPAT; DERWENT; USPAT; USPAT;					
EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/11/19 1	-	505	calculat\$4 near10 current near6 (chip or		2003/11/19 18:19
DERWENT; IBM_TDB USPAT; 2003/11/19 1			IC!)		
- 589 calculat\$4 near10 current near10(chip or USPAT; 2003/11/19 1					
- 589 calculat\$4 near10 current near10(chip or USPAT; 2003/11/19 1					
***			10/11	· —	2002/11/10 10 10
	-	589	· -		2003/11/19 18:19
			IC!)	US-PGPUB;	
EPO; JPO;					
DERWENT; IBM TDB					
· · · · · · · · · · · · · · · · · · ·		500	calculated mearin current mearin (chin en	_	2003/11/19 18:19
- 589 Calculat\$4 hearlo current hearlo (Chip of USPAI; 2003/11/19 1	-	389			2003/11/13 10:13
EPO; JPO;			10.7		
DERWENT;					
IBM TDB	-			1	
Search History 4/15/04 7:10:18 PM Page 1	0		/15 /04 2 10 10 DV D- 1	· · · · · · · · · · · · · · · · · · ·	

-	10150	analyz\$4 near10 current	USPAT;	2003/11/19 18:19
		u	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	3	((calculat\$4 near10 current near10 (chip or IC!)) and (analyz\$4 near10 current))	USPAT; US-PGPUB;	2003/11/19 18:20
		and (electromagnetic and interferen\$4)	EPO; JPO; DERWENT;	
	20	(IBM_TDB USPAT;	2002/11/10 10:25
_	22	(calculat\$4 near10 current near10 (chip or IC!)) and (analyz\$4 near10 current)	US-PGPUB;	2003/11/19 18:25
i			EPO; JPO; DERWENT;	
_	11	(calculat\$4 near10 current near6 (chip or	IBM_TDB USPAT;	2003/11/19 18:29
		<pre>IC!)) and ((electromagnetic adj interference) or EMI!)</pre>	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
_	285	324/750.ccls.	USPĀT; US-PGPUB;	2003/11/19 18:29
			EPO; JPO; DERWENT;	
_	17	324/750.ccls. and ((electromagnetic adj	IBM_TDB USPAT;	2003/11/19 18:30
_	1,	interference) or EMI!)	US-PGPUB; EPO; JPO;	2000,11,13 10.00
			DERWENT; IBM TDB	
-	3	(analyz\$4 near5 ((electromagnetic adj	USPAT; US-PGPUB;	2003/11/19 18:42
		interference) or EMI!)) and 324/750,158.1.ccls.	EPO; JPO; DERWENT;	
			IBM_TDB USPAT	2003/11/19 18:39
_	4	"6064220").PN.		2003/11/19 18:43
_	5	(analyz\$4 near5 ((electromagnetic adj interference) or EMI!)) and LSI near3 chip	USPAT; US-PGPUB;	2003/11/19 18.43
			EPO; JPO; DERWENT;	
_	26		IBM_TDB -USPAT;	2003/11/19 18:43
		interference) or EMI!)) and (IC! or chip)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
-	41	analyz\$4 near5 ((electromagnetic adj interference) or EMI!) and (IC or	USPAT; US-PGPUB;	2003/11/19 18:54
		integrated or chip)	EPO; JPO; DERWENT;	
_	4	("5465046" "5570034" "5578930"	IBM_TDB USPAT	2003/11/19 19:00
_	91	"6064220").PN.	USPAT;	2003/11/24 16:52
		interference) or EMI!)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	47406	calculat\$4 near5 current	USPAT; US-PGPUB;	2003/11/24 16:52
			EPO; JPO; DERWENT;	
			IBM_TDB	2003/11/24 18:17
-	9	interference) or EMI!)) and (calculat\$4	USPAT; US-PGPUB;	2003/11/24 18:17
		near5 current)	EPO; JPO; DERWENT;	
-	4		IBM_TDB USPAT	2003/11/24 17:59
Soarch Hi	1	"6064220").PN.	<u> </u>	

-	14648	324/765,158.1,750-769.ccls.	USPAT;	2003/11/24 18:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	91	analyz\$4 near5 ((electromagnetic adj	USPAT;	2003/11/24 18:18
		interference) or EMI!)	US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	324/765,158.1,750-769.ccls. and (analyz\$4	USPAT;	2004/04/15 19:09
		near5 ((electromagnetic adj interference)	US-PGPUB;	
		or EMI!))	EPO; JPO;	
			DERWENT;	
		(#6500317#) 70	IBM_TDB	0000/11/05 10 50
-	2	("6522717").PN.	USPAT;	2003/11/25 10:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	3	("6084664").PN.	USPAT;	2003/11/25 10:50
-	3	(0004004).FN.	US-PGPUB;	2003/11/23 10:30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	L		1	